

ceado.



Designing **Flavor.**

ceado.

E37Z-Naked



- Fast granulometry management
- Ground temperature stability
- Granulometry consistency
- Zero retention

Single dosing in essence.



© Ceado srl - All Rights Reserved - 02/2025



Ceado original burrs
DLCB83

E37Z-Naked

ø 83 DLC blind burrs

Technical data

Voltage - Power	220-240 V · 50-60 Hz / 740 W
	110-120V · 60 Hz
Rpm 50 Hz / 60 Hz	980 / 1180
Average Output (g/s)	5.2 (50 Hz) / 6 (60 Hz)
Net weight	19.5 kg
Gross weight	21.5 kg
Dimensions	215 x 355 x 400h mm
Burrs	DLCB83 ø 83 DLC blind burrs
Grinding adjustment type	Infinitesimal stepless
Dosing	Free
Start	Pulse button
Colors	● ● ●



Grinding
Chamber



No Screw
Burrs



Direct Input
& Output



Steady Lock



Quick Set
Gear Unlock



Gtm



E37Z-Naked Webpage

Designing **Flavor.**

Note: Additional voltage models available

ceado.

E37Z-Naked Competition



Built for competition

The E37Z-Naked Competition is a competition-oriented configuration of the E37Z-Naked, developed to ease workflow and interaction through a series of cosmetic and ergonomic refinements.

It builds on the same E37Z-Naked platform already familiar to baristas, maintaining its established grinding architecture and performance profile while introducing updates focused on usability and competition workflows.

The E37Z-Naked was selected as the Qualified Espresso Grinder Sponsor for the World Barista Championship 2026–2027. The E37Z-Naked Competition will be the version used on stage during the competition in Panama.

The goal remains unchanged: giving baristas maximum control over extraction, transforming technical precision into sensory expression.

Main features

- DLC-coated grinding chamber
- Integrated fan
- Dosing cup
- Anti-static spout
- Anti-static spray



Designing Flavor.

New side panels

The new aluminum side panels improve structural stability and enhance solidity during transport.

The side panel inserts are fully customizable and available in multiple finishes. The grinder is offered in black or white versions, while the side panels can be configured with: black painted metal, white painted metal, metal gray and oak wood.

Custom finishes are available upon request beyond the standard range, with additional cost.

A modular approach that combines technical robustness with a customizable visual identity.



black painted metal



white painted metal



metal gray



oak wood

Grinding head refinement

The grinding head has been refined to improve ergonomics and interaction during competition workflows, as well as in everyday use, both in cafés and at home.

The metal feeding elbow remains perfectly vertical, independent of grind adjustment. Its internal surface features a polished finish to reduce retention and facilitate cleaning.

The updated adjustment system provides a more direct and comfortable grip experience during grind setting changes.

gtm

Ground Temperature Management

The GTM system controls heat generated during grinding, reducing thermal impact on the coffee and preserving its aromatic profile.



Steady Lock

Steady Lock technology maintains constant burr distance, ensuring stable and repeatable particle size over time.



Total Coating

A 45° inclined DLC-coated grinding chamber designed to reduce retention and optimize coffee flow.



Quick Set Gear Unlock

The Quick Set Gear Unlock system allows rapid transitions from espresso to filter grind size while maintaining precision and continuity of adjustment.



- Fast granulometry management
- Ground temperature stability
- Granulometry consistency
- Zero retention

Flavor clarity in competition.



© Ceedo srl - All Rights Reserved - 02/2025



Ceedo original burrs
DLCB83

E37Z-Naked Competition

ø 83 DLC blind burrs

Technical data

Voltage - Power	220-240 V • 50-60 Hz / 740 W
	110-120V • 60 Hz
	100 V • 50-60 Hz
Rpm 50 Hz / 60 Hz	980 / 1180
Average Output (g/s)	5.2 (50 Hz) / 6 (60 Hz)
Net weight	19.5 kg
Gross weight	21.5 kg
Dimensions	215 x 355 x 400h mm
Burrs	DLCB83 ø 83 DLC blind burrs
Grinding adjustment type	Infinitesimal stepless
Dosing	Free
Start	Pulse button
Colors	● ●
Side panel insert finishes	● ● ● ● *

*Additional finishes available upon request, with additional cost.



Grinding Chamber



No Screw Burrs



Direct Input & Output



Steady Lock



Quick Set Gear Unlock



Gtm



E37Z-Naked Competition Webpage

ceado.

E37Z-Hero



- Fast granulometry management
- Ground temperature stability
- Granulometry consistency
- Zero retention

Single dosing
in essence.



© Ceado srl - All Rights Reserved - 02/2025



Ceado original burrs
DLCB83

E37Z-Hero

ø 83 DLC blind burrs

Technical data

Voltage - Power	220-240 V · 50-60 Hz / 740 W
	110-120V · 60 Hz
Rpm 50 Hz / 60 Hz	600 / 1500 rpm
Net weight	22.0 kg
Gross weight	29.0 kg
Z-Hero station	170 x 170 x 205h mm
Dimensions	215 x 355 x 400h mm
Burrs	DLCB83 ø 83 DLC blind burrs
Grinding adjustment type	Infinitesimal stepless
Dosing	Free
Start	Toggle switch
Colors	● ● ●



Grinding Chamber



No Screw Burrs



Direct Input & Output



Steady Lock



Quick Set Gear Unlock



Gtm



E37Z-Hero Webpage

Designing Flavor.

Note: Additional voltage models available

ceado.

E37Z-Barista 2.0



Designing **Flavor.**

The evolution of precision.

The E37Z-Barista 2.0 is the direct evolution of the E37Z-Barista RS, designed to improve control over the result in the cup while simplifying the barista's daily operations.



Operational improvements

From an operational perspective, a new anti-dispersion system reduces bean spillage during hopper removal, keeping the workspace clean and the workflow under control.

Hopper management and grinding chamber cleaning have been simplified, making emptying and maintenance operations faster and more intuitive.



Sweep Out Dual Spin System

Minimal retention, even with a hopper.

The Sweep Out system clears the grinding chamber at every cycle, reducing cross-contamination between doses.

The result in the cup is a cleaner aromatic profile with greater flavor clarity.



Steady Lock

Consistency without compromise.

Maintains a constant burr distance even under stress, ensuring stable and repeatable grind size over time.

gtm

Ground Temperature Management

Temperature control, flavor protection.

The GTM system manages the heat generated during grinding, limiting thermal impact on the coffee and preserving its aromatic profile.





New 3.5" Interface

More intuitive. Faster. More advanced.

The new TFT display provides a smooth and immediate user experience, improving operational speed and adjustment precision.

- Zero Retention
- Ground temperature stability
- Granulometry consistency

The game changer!



© Ceado srl - All Rights Reserved - 02/2025



**Ceado original burrs
RSZ83**

E37Z-Barista 2.0

ø 83 burrs Red Speed



Steady Lock



Quick Set
Gear Unlock



Sweep Out
Dual Spin



Gtm



Detachable
Chute

Technical data

Voltage - Power	220-240 V · 50-60 Hz / 900 W 110-120V · 60Hz / 6 A
Rpm 50 Hz / 60 Hz	1480 / 1700
Average Output (g/s)	5.2 (50 Hz) / 6 (60 Hz)
Net weight	18.7 kg
Gross weight	22.0 kg
Dimensions	200 x 420 x 550h mm
Burrs	RSZ83 ø 83 flat burrs Red Speed*
Hopper	Approximately 1500 g
Dose setting	Digital
Display	Multifunction Touch
Colors	● ● ●



Notes: Models with additional voltages available. *Grams per second calculated without Sweep-Out. Output may vary depending on coffee bean density and size.



E37Z-Barista 2.0 Webpage

ceado.


E37Z-Barista WAM




Designing **Flavor**

**Precision,
measured
to the gram.**

The E37Z-Barista WAM integrates Weight-Based Dose Management technology, providing active control of the dose weight directly within the grinding process.





WAM

Weight-Based Dose Management

The perfect dose, automatically.

Thanks to the WAM technology, the grinder controls the dose weight during the grinding process, ensuring extremely high repeatability even in high-volume environments. Weight becomes an actively managed parameter, reducing variations caused by operational conditions.



Sweep Out Dual Spin System

Minimal retention, even with a hopper.

The Sweep Out system clears the grinding chamber at every cycle, reducing cross-contamination between doses.

The result in the cup is a cleaner aromatic profile with greater flavor clarity.



Steady Lock

Consistency without compromise.

Maintains a constant burr distance even under stress, ensuring stable and repeatable grind size over time.

gtm

Ground Temperature Management

Temperature control, flavor protection.

The GTM system manages the heat generated during grinding, limiting thermal impact on the coffee and preserving its aromatic profile.





New 3.5" Interface

More intuitive. Faster. More advanced.

The new TFT display provides a smooth and immediate user experience, improving operational speed and adjustment precision.

- Weight precision
- Zero Retention
- Ground temperature stability

The game changer!



© Ceado srl - All Rights Reserved - 02/2025



**Ceado original burrs
RSZ83**

E37Z-Barista WAM

ø 83 burrs Red Speed



Steady Lock



Quick Set
Gear Unlock



Sweep Out
Dual Spin



WAM



Gtm



Detachable
Chute

Technical data

Voltage - Power	220-240 V · 50-60 Hz / 900 W 110-120V · 60Hz / 6 A
Rpm 50 Hz / 60 Hz	1480 / 1700 rpm
Average Output (g/s)	5.2 (50 Hz) / 6 (60 Hz) *
Net weight	21.9 kg
Gross weight	25.5 kg
Dimensions	200 x 420 x 610h mm
Burrs	RSZ83 ø 83 flat burrs Red Speed
Hopper	Approximately 1500 g
Dose setting	Digital
Display	Multifunction Touch
Colors	● ● ●



Notes: Models with additional voltages available. *Grams per second calculated without Sweep-Out. Output may vary depending on coffee bean density and size.



E37Z-Barista WAM Webpage

ceado.
Life X Touch



Designing **Flavor.**



New Touch Display

Life X Touch features an updated touch display designed to make **flavor control even more intuitive.** The 2.4" color touchscreen turns grinding into a pleasant and engaging experience. Modern and interactive, it allows you to adjust every detail with ease and precision, personalize colors, and adapt the interface to your style. Every setting becomes faster and more enjoyable, transforming coffee preparation into a truly delightful moment.

Keeping the promise

All-purpose grinders, while marketed as versatile, often perform better in either espresso or filter brewing methods. Grinders optimized for espresso can produce a muddy filter, while those designed for filter brewing may yield an under-extracted espresso with a lack of body. **Life X Touch offers the best of both worlds.**




Clarity and body

Life X Touch is designed to handle a variety of brew settings, **all the way from Espresso to French Press**, thanks to the depth of its grinding chamber, combined with the variable impact burr geometry and advanced flap design, ensuring optimal particle size distribution for any brewing method.

Size matters

The Life X Touch features the innovative **XB50 burrs**, **manufactured by Ceado** without the use of screws. This design allows for the performance of larger 60 mm burrs, while **minimizing retention** and **reducing coffee waste**. The grinder also boasts the highest motor power-to-burr diameter ratio, ensuring exceptional durability and consistently precise performance, while minimizing the chance of jamming.



Mode Switch

Setting the dose has never been simpler with the Life X Touch thanks to **the new touch display** that makes it easy to switch between timed and manual dosing options, allowing you to customize your grind mode to your preferred brewing method. The grinder kits in the box, comprising of a **bean hopper and a dosing funnel**, grant perfect workflow for both manual dosing and programmed doses.

- New Touch Display
- Enhanced clarity
- Low retention
- Jam prevention

For all brew methods.



Ceado original burrs
XB50



© Ceado srl - All Rights Reserved - 07/2025

Life X Touch

ø 50 mm blind multi-purpose flat burrs

Technical data

Voltage - Power	220-240 V • 50-60 Hz / 300 W 110-120 V • 60 Hz / 3 A
Rpm 50 Hz / 60 Hz	1380 / 1650 rpm
Average Output (g/s)	1.6 (50 Hz) / 1.9 (60 Hz)
Net weight	5.4 kg
Gross weight	6.0 kg
Dimensions	150 x 200 x 355h mm
Burrs	XB50 ø 50 blind multi-purpose flat burrs
Hopper	Approximately 300 g
Funnel	Approximately 30 g
Dose setting	2 Programmable Times / Manual Dosing
Colors	● ● ● ●



Life X Touch Webpage



ceado.
Life WAM



Designing **Flavor.**

Precision Espresso Grinder with WAM

Life WAM, equipped with the new **Weight Based Dose Management**, delivers even greater **precision and flavor consistency** in every espresso. Thanks to the integrated load cell, you can **manage each shot by weight**. The built-in scale not only enhances **precision** but also makes the grinder **simple** and **intuitive** to use, even for non-professional users. Perfect for achieving consistent results, with the ease of a professional-grade grinder at home.




New Touch Display

The **2.4" color touchscreen** makes grinding simple and enjoyable. Modern and interactive, it allows intuitive selection of grinding by grams or by seconds, adapting the grinder to taste and preferences. Colors and interface are fully customizable, while every adjustment is fast, precise, and immediate. Coffee preparation becomes a truly delightful experience.



50 mm Blind Burrs: Minimal Retention, Maximum Flavor

Crafted from **high-grade steel**, the **50 mm blind burrs** offer a grind surface equivalent to 60 mm burrs, optimizing consistency while minimizing retention. The **innovative X burrs** enhance extraction, delivering a clean, aromatic, and full-bodied cup. Unlike traditional burrs, their **blind design** eliminates holes where coffee grounds could get trapped, preventing buildup and ensuring every dose is fresh.



Maximum Precision, Maximum Simplicity with WAM

With **Weight Based Dose Management**, every dose is handled with maximum accuracy, ensuring unmatched flavor repeatability. The combination of integrated weighing and a low-retention grind chamber keeps coffee always fresh and evenly ground. Thanks to the built-in scale, operation becomes simpler and more intuitive for everyone, making it easy to achieve espressos that are even more precise, aromatic, and consistent with every extraction.



Compact, Reliable and Stylish

Compact and elegantly designed, **Life WAM** fits seamlessly into any kitchen. Robust and reliable, it is built for professional-grade daily use at home. Includes a **250 g hopper** and a customizable touch display, available in multiple colors to suit any style: **Metal Grey, White, Matte Black, and Aquamarine.**

- Weight-based dose management
- Low retention grind chamber
- New touch display

Precision Espresso Grinder.



© Ceado srl - All Rights Reserved - 07/2025



Ceado original burrs
XB50

Life WAM

ø 50 mm blind flat burrs

WAM
WAM

Technical data

Voltage - Power	220-240 V • 50-60 Hz / 300 W
	110-120 V • 60 Hz / 3 A
Rpm 50 Hz / 60 Hz	1380 / 1650 rpm
Average Output (g/s)	1.6 (50 Hz) / 1.9 (60 Hz)
Net weight	5.8 kg
Gross weight	6.0 kg
Dimensions	150 x 200 x 390h mm
Burrs	XB50 ø 50 blind flat burrs
Hopper	Approximately 300 g
Dose setting	2 programmable weight-based doses / manual dosing
Colors	



Life WAM Webpage

ceado.

Hoop



Designing **Flavor.**

Four letters just four pieces!



Hoop is an innovative **radial infusion brewer** created by Ceado, and the winner of **Best New Product Award**: Consumer coffee preparation & serving equipment.

Hoop is a radial infusion brewer. Water filters evenly through the coffee bed, in a smooth and regular way, thanks to the side holes at the bottom of the Flow Tower. The flow of the water through the holes guarantees an even extraction: the water filters through the coffee with the same quantity and strength, reaching the paper filter only after completing the journey through coffee. Hoop allows to achieve a full and high quality extraction, with no effort!

Radial Infusion.



Hoop

Coffee brewer

Features

- Durable BPA free plastic
- Easy to clean
- Dishwasher safe

Technical data

Net weight	165 g
Gross weight	260 g
Dimensions	150 x 140 x 90h mm
Colors	

With Hoop there is no need to follow rules or techniques. There is no need to pay attention to the water temperature or the coffee beans. Hoop wants you to experiment, to combine and to set your own rules, according on your own taste!



Hoop Webpage

Note: Maximum weight on paper filter: 20g of ground coffee.

Spinea - Venezia, Italy
Via della Costituzione, 111
T +39 041 5030767
F +39 041 5038413
info@ceado.com
www.ceado.com



Certifications list

Please confirm with Ceado Srl whether your product of choice has one or more of the certifications listed below:



info@ceado.com

www.ceado.com



**hand made
in venice.**